

University of Groningen

Development of new muscarinic and β -adrenergic receptor radiopharmaceuticals for Positron Emission Tomography

Visser, Thomas Jakob

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1997

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Visser, T. J. (1997). *Development of new muscarinic and β -adrenergic receptor radiopharmaceuticals for Positron Emission Tomography: application to lungs, heart and brain.* s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

LIST OF PUBLICATIONS

papers

Van Waarde, A.; Visser, G.M.; **Visser, T.J.**; Bouwer, J.; Paans, A.M.J.; Vaalburg, W. Rodent biodistribution and metabolism of tritiated 4-DAMP, a M₃ subtype selective cholinergic ligand. *Nucl. Med. Biol.* **1994**, *21*, 41-47.

Van Waarde, A.; Anthonio, R.L.; **Visser, T.J.**; Elsinga, P.H.; Posthumus, H.; Weemaes, A.M.A.; Blanksma, P.K.; Visser, G.M.; Paans, A.M.J.; Vaalburg, W. Quantification of an ¹¹C-labelled β -adrenoceptor ligand, S-(-)-CGP 12177, in plasma of humans and rats. *J. Chromatogr. B* **1995**, *663*, 361-369.

Van Waarde, A.; Elsinga, P.H.; Anthonio, R.L.; **Visser, T.J.**; Blanksma, P.K.; Visser, G.M.; Paans, A.M.J.; Vaalburg, W. Study of cardiac receptor ligands by Positron Emission Tomography. In: *Cardiac Positron Emission Tomography: Viability, Perfusion, Receptors and Cardiomyopathy*, edited by E.E. Van der Wall; Blanksma, P.K.; Niemeyer, M.G.; Paans, A.M.J. Dordrecht, Kluwer Academic Publishers. **1995**, 171-182.

Van Waarde, A.; **Visser, T.J.**; Posthumus, H.; Elsinga, P.H.; Anthonio, R.L.; Weemaes, A.M.A.; Visser, G.M.; Beaufort-Krol, G.C.M.; Paans, A.M.J.; Vaalburg, W. Quantification of the β -adrenoceptor ligand, S-1'-[¹⁸F]-fluorocarazolol, in plasma of humans, rats and sheep. *J. Chromatogr. B* **1996**, *678*, 253-260.

Visser, T.J.; Van Waarde, A.; Jansen, T.H.J.; Visser, G.M.; Van der Mark, T.W.; Kraan, J.; Ensing, K.; Vaalburg, W. Stereoselective synthesis and biodistribution of potent [¹¹C]-labeled antagonists for positron emission tomography imaging of muscarinic receptors in the airways. *J. Med. Chem.* **1997**, *40*, 117-124.

Visser, T.J.; Van Waarde, A.; Van der Mark, T.W.; Kraan, J.; Elsinga, P.H.; Pruijm, J.; Ensing, K.; Jansen, T.; Willemsen, A.T.M.; Franssen, E.J.F.; Visser, G.M.; Paans, A.M.J.; Vaalburg, W. Characterization of pulmonary and myocardial beta-adrenoceptors with S-1'-[Fluorine-18]fluorocarazolol. *J. Nucl. Med.* **1997**, *38*, 169-174.

Van Waarde, A.; **Visser, T.J.**; Elsinga, P.H.; de Jong, B.M.; Van der Mark, T.W.; Kraan, J.; Ensing, K.; Pruijm, J.; Willemsen, A.T.M.; Brodde, O.-E.; Visser, G.M.; Paans, A.M.J.; Vaalburg, W. Imaging beta-adrenoceptors in the human brain with (S)-1'-[Fluorine-18]fluorocarazolol. *J. Nucl. Med.* **1997**, *38*, 934-939.

Visser, T.J.; Van Waarde, A.; Doze, P.; Van der Mark, T.W.; Kraan, J.; Ensing, K.; Vaalburg, W. Visualization of pulmonary β_2 -adrenoceptors with in vivo, using the agonist [¹¹C]-formoterol and positron emission tomography. *Br. J. Pharmacol.* (submitted).

Visser, T.J.; Van Waarde, A.; Van der Mark, T.W.; Kraan, J.; Ensing, K.; Vaalburg, W. Positron emission tomography (PET) imaging of muscarinic receptors in the human airways. *J. Nucl. Med.* (manuscript in preparation).

Visser, T.J.; Wegman, T.; Van Waarde, A.; Doze, P.; Elsinga, P.H.; Vaalburg, W. Synthesis and evaluation of N-methyl-piperidin-4-yl-2-cyclohexyl-2-hydroxy-2-phenylacetate, a new radioligand for the visualization of cerebral muscarinic receptors with PET (manuscript in preparation).